

Subject index

This is the subject index for the *Getting Started with Stata for Windows* manual. Readers may also want to consult the combined subject index (and the combined author index) in the *Quick Reference and Index*.

A

ado command, 36
 arithmetic operators, *see* operators, arithmetic
 auto hide, *see* windows, Auto Hide
 automatic update checking, *see* updates, automatic
 update checking

B

batch mode, 133–134
 blog, *see* Stata blog
 Break, 86
 button, 24
 browse command, 2, 6, 7, 62
 button,
 Break, 24, 86
 Data Editor (Browse), 2, 24, 49
 Data Editor (Edit), 24, 49, 51
 Do, 98, *also see* button, Execute (do)
 Do-file Editor, 24, 98
 Execute (do), 99, 103
 Execute Quietly (run), 98, 103
 Graph, 16, 24
 Graph Editor, 106
 Log, 22, 24, 111
 Open, 24
 Print, 24
 Properties, 50
 Reset, 18
 Run, *see* button, Execute Quietly (run)
 Save, 24
 Show File in Viewer, 103
 Variables, 50
 Variables Manager, 24
 Viewer, 24, 33
 by() option, 13, 17
 by prefix, 12, 14, 21
 by/if/in tab, 7, 12, 14, 28

C

cd command, 29, 131
 clear command, 93
 cmdlog command, 114
 codebook command, 4–6, 41
 command history, 25
 command syntax, 21–22
 Command window, 23, 25, 30

commands,
 compared with menus, 21
 learning, 29, 117–119
 comments, *see* log files, commenting
 contextual menu, 23
 Graph window, 106
 Review window, 25
 Variables window, 26–27
 Viewer window, 36
 copying,
 data, *see* data, copying
 graphs, *see* graphs, copying
 text, *see* text, copying
 correlate command, 14
 creating variables, *see* variables, creating

D

data,
 copying, 54, 67
 tips, 55
 entering, 50–55
 graphing, 15–20
 importing, *see* importing data
 labeling, 71
 listing, 77–86
 pasting, 54, 67
 sorting, 56
 strings, 52
 Data Editor, 2, 49–62
 attach value labels, 57
 browse mode, 62
 toolbar button, 24
 cell navigation, 52
 color coding, 2, 52
 contextual menus, 50
 create value labels, 56
 creating variables, 57
 cursor location box, 51–52, 56
 date
 editing, 59–60
 formats, 59–60
 mask, 60
 edit mode toolbar button, 24
 edit within cell, 52
 empty columns, 52
 empty rows, 52
 enter data by column, 51
 enter data by row, 51
 entering data, 50–55
 filtering, 9, 61
 fonts, 115
 hiding variables, 61
 limiting exposure, 60–62
 movement, 50
 opening, 51
 reordering variables, 61

Data Editor, *continued*
right-clicking, 50
snapshots, 58–59
sorting, 50, 56
tips, 60, 70
toolbar, 49
Tools menu, 56–62
value labels, 56
when to browse, 60

data management, 2–8

data type, see variables, data type

dataset, 4
changing, 56–62
notes, 3
opening, 47, 137
saving, 47
saving in old format, 47
structure, 2, 3

dates, editing, see Data Editor, date editing

db command, 29

deleting variables, see variables, dropping

describe command, 3, 71–76
with short option, 51

descriptive statistics, 8–15

dialogs, 27
accessing from Command window, 29
Cancel button, 28
Copy button, 29
Help button, 29
OK button, 28
Reset button, 29
saving commands, 103
Submit button, 29
Variables field, 5, 7

directory, working, see working directory

display format, see variables, display format

displaying graphs, see graphs, schemes

Do,
button, see button, Do
menu item, 103

do-file, 98–101, 103, 114, 132
editing, see Do-file Editor
tips, 100
troubleshooting, 99–101

Do-file Editor, 97–103
balancing parentheses, 102
buttons, 97–98
changing case, 102
editing help files, 103
editing tools, 102
fonts, 115
getting Review window contents, 26
inserting a file, 102
matching braces, 102
next bookmark, 98
previous bookmark, 98
select entire line, 102

Do-file Editor, *continued*
syntax highlighting, 99
toggle bookmark, 98
toolbar button, 24
Tools menu, 103
Execute (do), 103
Execute Quietly (run), 103
Show File in Viewer, 103
viewing whitespace, 102

docking guides, see windows, docking guides

docking windows, see windows, docking

drop command, 93–94

dropping variables, see variables, dropping

dummy variable, see indicator variable

E

edit command, 61

editing data, see Data Editor

editing dates, see Data Editor, date editing

editing do-file, see Do-file Editor

EMF, 137

Encapsulated Postscript, see EPS

Enhanced Metafile, see EMF

EPS, 138

equality, 12, 81

examples,
dialogs, 4, 5, 7, 8, 10–16, 18, 28, 29, 105
graphs, 15–20, 105, 107
help, 39–42
if qualifier, 6, 7, 12, 61–62, 79–82, 94–95
in qualifier, 83
menus, 1, 3–5, 7, 8, 10–16, 18, 28–105
varlist, 61, 77–79

excel, import subcommand, 68, 70

exp, see expressions

expressions, 79, 87

F

Facebook, 117, 120

filenames, quotes, 47

files, double-clicking, 133

fitted values, see predict command

floating windows, see windows, floating

fonts,
changing in one graph, see Graph Editor
changing in windows, see preferences, font
preferences, see preferences, font

functions, 87

G

generate command, 17, 18, 20, 87–92
tips, 90
troubleshooting, 89

generating variables, see variables, creating

Graph Editor, 107–109
 abilities, 108
 closing, *see* Graph Editor, stopping
 contextual toolbar, 107–108
 experimentation, 108
 Grid Edit tool, 108
 Object Browser, 108
 recording, 108
 starting, 107
 stopping, 108
 tools, 108
 Undo button, 108
 graph setup, *see* graphs, schemes
 Graph window, 16, 106
 contextual menu, 106
 right-clicking, 106–107
 toolbar button, 24
 Graphical User Interface, *see* GUI
 graphs,
 copy and paste, 137
 copying, 106
 editing, *see* Graph Editor
 export formats, 138
 exporting, 137
 overlaid, 18–20
 printing, 20, 106, 133
 renaming, 106
 right-clicking, 106
 saving, 106
 schemes, 115
 subgraphs, 16
 GUI, 23–32

H

`help` command, 43
 help for *command*, 36
 help system, 39–45
 FAQs, 39
 links, 41
 menu, 39
 search dialog, 40
 searching, 39–45, 123–124
 tips, 42
 hypothesis testing, 13–14

I

identifier variable, 5
`if` qualifier, 6, 7, 12, 21, 77, 79–82, 88, 93
 examples, *see* examples, `if` qualifier
 troubleshooting, 81–82
`import excel` command, 68, 70
`import sasxport` command, 68, 70
 importing data, 67–70
 comma-delimited, 68
 copying and pasting, 67, 70

importing data, *continued*
 fixed-format data, 70
 paste special, 55
 spreadsheet, 55, 68, 70
 tab-delimited, 68
 tips, 70
 unformatted data, 70
`in` qualifier, 21, 77, 83, 93
 examples, *see* examples, `in` qualifier
 indicator variable, 6, 17, 90
 generating, 88
`infile` command, 68, 70
`infix` command, 68, 70
`insheet` command, 68–70
 Internet, 121–126
 installing programs, *see* programs, downloading and installing
 resources, 117–120
 searching, 123–124
 using remote files, 121

K

`keep` command, 93, 95

L

`label` command, 73
`label data` command, 73
`label define` command, 73, 76
`label values` command, 73, 76
`label variable` command, 20, 73
 labels,
 data, 3, 73–74
 value, 2, 4–5, 10, 12, 73, 75
 confusing with string variable, 82
 why needed, 6
 variable, 3–5, 73–74
 license, 138
 changing, 138
`line, twoway` subcommand, 19
 linear regression, *see* regression, linear
 linking windows, *see* windows, linking
`list` command, 7, 69, 77–86
 listing data, *see* data, listing
 loading data, *see* dataset, opening
 Log button, 24
`log` command, 111–113
 log files, 22, 111–114
 appending, 111
 commenting, 112
 contents, 112
 file extension, 113
 keeping just commands, 114
 multiple open at once, 112
 overwriting, 111
 plain text, 111, 113

log files, *continued*
printing, 113
rerunning commands, 114
SMCL, 111, 113
starting, 111
tips, 113
translating formats, 111, 113
types, 113
viewing, 113
logical
expression, 79–81
operators, see operators, logical

M

median, 9
memory, 6, 47, 72, 129
allocation, 129
menus, 27
compared with commands, 21
examples, see examples, menus
`missing()` function, 7, 62, 80
missing values, 2, 4, 7, 11, 51, 52, 56, 79–80, 87–88, 92
extended, 56

N

`net` command, 36
NetCourses, 118
network installation, 138
nondocking windows, see windows, nondocking
Not Elsewhere Classified, see Stata blog
notes,
managing, 64–66
timestamps, 65
`numlist`, 83

O

observations, 2
ODBC, 70
`odbc` command, 68, 70
one-way table, see table, one-way
open, 49
Open toolbar button, 24
opening a dataset, see dataset, opening
operators,
arithmetic, 87
logical, 79, 81, 87
relational, 79, 87
string, 92
options, 8, 21, 42, 77, 83
output, printing and saving, see log files
Output Settings dialog, 113

P

pasting,
data, see data, pasting
graphs, see graphs, copy and paste
text, see text, pasting
PDF, 138
PDF documentation, 39, 41, 43
PNG, 138
`poisson` command, 28
Portable Network Graphics, see PNG
postestimation commands, 18
precision, 72
`predict` command, 18
preferences, 115–116
Clipboard, 115
font, 115–116
Graph window, 115
loading, 116
managing, 116
saving, 116
window, 115–116
prefix command, 12, 21
Printer Preferences dialog, 113
printing, 24
contents of Viewer, 36
graphs, 106
output, 113
toolbar button, 24
`profile.do`, 132
programs,
downloading and installing, 123–125
uninstalling, 125
Properties Sheet, 131
Properties window, 2, 23, 53
hiding, 27
revealing, 27

R

reading list, see Stata reading list
recording sessions, see log files
reference manuals, 43
`regress` command, 18, 21
regression,
linear, 17–21, 101
Poisson, 28
relational operators, see operators, relational
`replace` command, 87–90
Results window, 1, 16, 23, 25
color scheme, 115
fonts, 115
searching, 25
Review window, 1, 23, 25–26, 30
contextual menu, 25
filtering, 25
hiding errors, 25

Review window, *continued*
 reusing commands, 25, 57–58
 right-click, 25, 114
 saving contents, 26
 sending contents to Do-file Editor, 26
 tip, 114

Run button, see button, Run

S

sample session, 1–22
 SAS, 68, 70
 sasxport, import subcommand, 68, 70
 save command, 29, 47–48
 Save toolbar button, 24
 saveold command, 47
 saving
 data, see dataset, saving
 output, see log files
 scatter, twoway subcommand, 15–17, 19
 search command, 36, 43
 searching help system, see help system, searching
 shortcuts, 131–132
 Show File in Viewer button, see button, Show File in Viewer
 SMCL, 35, 98, 103, 111
 splitters, see windows, splitters
 Stata
 batch mode, 133–134
 blog, 117, 120
 bookstore, 118
 datasets available, 117, 121
 executing commands at startup, 132
 FAQs, 117
 Graph Editor, see Graph Editor
 learning more, 117–120
 Markup and Control Language, see SMCL
 NetCourses, 118, 119
 output, 1
 Press, 119
 public training courses, 118
 reading list, 118–119
 simultaneous sessions, 135
 starting, 131, 133
 starts with an error, see troubleshooting
 Statalist, 117
 training, 118, 119
 troubleshooting, see troubleshooting
 updating, see updates
 user interface, see GUI
 won't start, see troubleshooting
 working directory, see working directory
 Stata Journal, 39–40, 44–45, 117, 120, 121
 Stata News, 119
 Stata Technical Bulletin, 39–40, 44–45, 121
 status bar, 29
 STB, see Stata Technical Bulletin

storage type, see variables, data type
 string variable, see variables, string
 strings, 91–92
 quoting, 82
 strpos() function, 92
 substr() function, 92
 summarize command, 4, 8, 12, 21
 syntax, 41, 77–84
 abbreviations, 77
 diagram, 21
 list command, 77
 syntax note, 2, 5, 7–14, 16–17, 21
 sysprofile.do, 132
 sysuse command, 1

T

tabbing windows, see windows, tabbing
 table,
 one-way, 10–11, 13
 two-way, 11
 tabulate command, 10–13
 text,
 copying, 97
 pasting, 97
 text variables, see variables, string
 TIFF, 138
 toolbar, main, 24
 tooltip, 24
 training, see Stata training
 troubleshooting, 127–128
 unexpected problem, 128
 updates, see updates, troubleshooting
 ttest command, 13
 Twitter, 117, 120
 twoway line command, 19
 twoway scatter command, 15–17, 19
 two-way table, see table, two-way
 type command, 36

U

update command, 36
 updates, 36, 122
 automatic update checking, 122
 troubleshooting, 122
 use command, 47
 User's Guide, 117

V

value labels, creating and managing, 56
 variables, 2
 allowable names, 54
 creating, 57, 87–92
 data type, 3, 5–6, 72, 88
 display format, 4, 72

variables, *continued*
dropping, 27, 64, 93–94
formatting, 53
generating, *see* variables, creating
keeping, 26, 64
missing values, *see* missing values
name, 3, 72
 abbreviating, 69, 77–79
 auto-completion, 25
naming, 53
renaming, 53
storage type, *see* variables, data type
string, 3–5, 91–92
 confusing with value labels, 82
text, *see* variables, string

Variables Manager, 63–66
contextual menus, 64
creating *varlists*, 64
dropping variables, 64
filtering variables, 63
keeping variables, 64
notes, 64–66
properties pane, 65
restore columns, 64
restore sort order, 63
right-clicking, 64
toolbar button, 24
Variable pane, 63–64
variable properties pane, 65

Variables window, 1, 18, 23, 26–27, 30
clicking, 26
columns, 26
contextual menu, 26–27
filtering, 26
hiding, 27
revealing, 27

varlist, 5, 21, 77, 93
examples, *see* examples, *varlist*

view command, 36

Viewer, 30, 33–37
Also *see* button, 41
buttons, 34
color scheme, 115
commands, 36
contextual menu, 36
Dialog button, 41
Find bar, 34
fonts, 115
Jump To button, 41
links
 clicking, 35
 middle-clicking, 35
 Shift+clicking, 35
log files, 113
navigating, 36
new window, 35
opening, 33

Viewer, *continued*
preferences, 36
printing, 36
printing log files, 113
right-clicking, 36
selecting one Viewer, 35
tabs, 36
toolbar button, 24, 33
viewing
 current log, 35
 logs, 35
 remote files, 35
 text files, 35

W

windows, 23
Auto Hide, 32
closing, 116
docking, 30–31
docking and undocking, 31–32
docking guides, 31
fine control, 30
floating, 32
linked, 30
linking, 30–31
nondocking, 30, 32
opening, 116
preferences, 31
resizing, 31
revealing, 23
splitters, 31
tabbed, 30
tabbing, 31
types, 30

Windows Metafile, *see* WMF
WMF, 137
working directory, 29, 138

X

XML, 70
`xmluse` command, 68, 70