

Subject and author index

This is the subject and author index for the *Structural Equation Modeling Reference Manual*. Readers interested in topics other than structural equation modeling should see the combined subject index (and the combined author index) in the *Quick Reference and Index*.

A

addgroup, *ssd* subcommand, [SEM] **ssd**
 ADF, see asymptotic distribution free
 adf, see *sem* option *method()*
 AIC, see Akaike information criterion
 Akaike, H., [SEM] **References**
 Akaike information criterion, [SEM] **estat gof**, [SEM] **example 4**, [SEM] **methods and formulas**
 allmissing option, see *sem* option *allmissing*
 Alwin, D. F., [SEM] **References**
 anchoring, [SEM] **Glossary**, see constraints, normalization
 asymptotic distribution free, [SEM] **intro 3**, [SEM] **methods and formulas**, [SEM] **Glossary**

B

baseline comparisons, [SEM] **estat gof**, [SEM] **example 4**
 baseline model, [SEM] **estat gof**, [SEM] **example 4**, [SEM] **methods and formulas**, [SEM] **Glossary**
 baseopts option, see *sem* option *baseopts()*
 Bayesian information criterion, [SEM] **estat gof**, [SEM] **example 4**, [SEM] **methods and formulas**
 Bentler, P. M., [SEM] **References**
 Bentler–Raykov squared multiple-correlation coefficient, [SEM] **estat eqgof**
 Bentler–Weeks matrices, [SEM] **intro 6**, [SEM] **estat framework**, [SEM] **example 11**, [SEM] **Glossary**
 BIC, see Bayesian information criterion
 Bollen, K. A., [SEM] **References**
 bootstrap, [SEM] **Glossary**
 Brown, T. A., [SEM] **References**
 Browne, M. W., [SEM] **References**
 build, *ssd* subcommand, [SEM] **ssd**

C

Campbell, D. T., [SEM] **References**
 CD, see coefficient of determination
 CFA, see models, confirmatory factor analysis
 CFI, see comparative fit index
 chi-squared test, [SEM] **methods and formulas**
 CI, see confidence interval
 cluster, see *sem* option *vce()*

cluster estimator of variance
 structural equation modeling, [SEM] **intro 7**, [SEM] **sem option method()**
 clustered, [SEM] **Glossary**
 coefficient of determination, [SEM] **estat eqgof**, [SEM] **estat ggof**, [SEM] **estat gof**, [SEM] **example 4**, [SEM] **example 21**, [SEM] **methods and formulas**, [SEM] **Glossary**
 coeflegend option, see *sem* option *coeflegend*
 command language, [SEM] **Glossary**
 comparative fit index, [SEM] **estat gof**, [SEM] **methods and formulas**
 conditional normality, see normality, conditional
 confidence interval, [SEM] **Glossary**
 confirmatory factor analysis, see models, confirmatory factor analysis
 constraints, [SEM] **sem option constraints()**, [SEM] **Glossary**
 across groups, [SEM] **intro 5**
 normalization, [SEM] **intro 3**, [SEM] **sem relaxing**, [SEM] **intro 5**, [SEM] **sem path notation**
 specifying, [SEM] **intro 3**, [SEM] **intro 5**, [SEM] **sem option constraints()**, [SEM] **sem option covstructure()**, [SEM] **sem path notation**
 constraints() option, see *sem* option *constraints()*
 convergence, [SEM] **intro 3**, [SEM] **sem**, [SEM] **sem option from()**
 correlated uniqueness models, see models, correlated uniqueness
 correlation models, see models, correlation
 correlations,
 obtaining, [SEM] **example 16**
 tests of, [SEM] **estat stdize**
 covariance, [SEM] **intro 3**, [SEM] **Glossary**, also see constraints, specifying
 assumptions, [SEM] **sem**
 covariance() option, see *sem* option *covariance()*
 covariances, creating dataset from, see summary statistics data
 covstructure() option, see *sem* option *covstructure()*
 Cox, C., [SEM] **References**
 Cudeck, R., [SEM] **References**
 Curran, P. J., [SEM] **References**
 curved path, [SEM] **Glossary**

D

datasignature command, [SEM] **example 25**, [SEM] **ssd**
 degree-of-freedom adjustment, [SEM] **Glossary**
 delta method, [SEM] **estat residuals**, [SEM] **estat teffects**
 describe, *ssd* subcommand, [SEM] **ssd**
 digitally signing data, see *datasignature* command
 Duncan, O. D., [SEM] **References**

E

Eaves, R. C., [SEM] **References**

effects,

- direct, [SEM] **estat teffects**, [SEM] **example 7**, [SEM] **methods and formulas**, [SEM] **Glossary**
- indirect, [SEM] **estat teffects**, [SEM] **example 7**, [SEM] **methods and formulas**, [SEM] **Glossary**
- total, [SEM] **estat teffects**, [SEM] **example 7**, [SEM] **methods and formulas**, [SEM] **Glossary**

eigenvalue stability index, [SEM] **estat stable**

EIM, see **expected information matrix**

eim, see **sem option vce()**

endogenous variable, [SEM] **intro 3**, [SEM] **Glossary**

eggof, **estat** subcommand, [SEM] **estat eggof**

eqtest, **estat** subcommand, [SEM] **estat eqtest**

error, [SEM] **Glossary**

variable, [SEM] **intro 3**, [SEM] **Glossary**

estat

eggof command, [SEM] **intro 6**, [SEM] **estat eggof**, [SEM] **example 3**

eqtest command, [SEM] **intro 6**, [SEM] **estat eqtest**, [SEM] **example 13**

framework command, [SEM] **intro 6**, [SEM] **estat framework**, [SEM] **example 11**

ggof command, [SEM] **intro 6**, [SEM] **estat ggof**, [SEM] **example 21**

ginvariant command, [SEM] **intro 6**, [SEM] **estat ginvariant**, [SEM] **example 22**

gof command, [SEM] **estat gof**, [SEM] **example 4**

mindices command, [SEM] **intro 6**, [SEM] **estat mindices**, [SEM] **example 5**, [SEM] **example 9**

residuals command, [SEM] **intro 6**, [SEM] **estat residuals**, [SEM] **example 10**

scoretests command, [SEM] **intro 6**, [SEM] **estat scoretests**, [SEM] **example 8**

stable command, [SEM] **intro 6**, [SEM] **estat stable**, [SEM] **example 7**

stdize: prefix command, [SEM] **estat stdize**, [SEM] **example 16**

summarize command, [SEM] **estat summarize**
teffects command, [SEM] **estat teffects**, [SEM] **example 7**

estimation method, [SEM] **Glossary**

estimation options, [SEM] **sem estimation options**

_Ex, [SEM] **sem option covstructure()**

exogenous variable, [SEM] **intro 3**, [SEM] **Glossary**

expected information matrix, [SEM] **Glossary**

F

factor analysis, see **models, confirmatory factor analysis**

factor scores, [SEM] **intro 6**, [SEM] **example 14**,

[SEM] **methods and formulas**, [SEM] **predict**

feedback loops, [SEM] **estat stable**, [SEM] **estat teffects**

fictional data, [SEM] **Glossary**

first-order latent variables, [SEM] **Glossary**

Fiske, D. W., [SEM] **References**

forcecorrelations option, see **sem option forcecorrelations**

forcenoanchor option, see **sem option forcenoanchor**

framework, **estat** subcommand, [SEM] **estat framework**

Freeman, E. H., [SEM] **References**

from() option, see **sem option from()**

G

generalized least squares, [SEM] **intro 3**

generalized method of moments, [SEM] **Glossary**

ggof, **estat** subcommand, [SEM] **estat ggof**

ginvariant, **estat** subcommand, [SEM] **estat ginvariant**

ginvariant() option, see **sem option ginvariant()**

GMM, see **generalized method of moments**

gof, **estat** subcommand, [SEM] **estat gof**

goodness-of-fit statistics and tests, [SEM] **intro 6**,

[SEM] **estat eggof**, [SEM] **estat ggof**,

[SEM] **estat gof**, [SEM] **example 3**,

[SEM] **example 4**, [SEM] **Glossary**

graphical user interface, see **GUI**

group invariance test, [SEM] **methods and formulas**

group() option, see **sem option group()**

GUI, [SEM] **GUI**, [SEM] **Glossary**

H

Haller, A. O., [SEM] **References**

Hancock, G. R., [SEM] **References**

Hausman, J. A., [SEM] **References**

hierarchical models, see **models, confirmatory factor analysis**

higher-order models, see **models, confirmatory factor analysis**

Hocevar, D., [SEM] **References**

hypothesis tests, [SEM] **test**, [SEM] **testnl**

I

identification, [SEM] **Glossary**, see **model identification**

indicator variables, [SEM] **Glossary**

information criteria, see **Akaike information criterion**, see **Bayesian information criterion**

init, **ssd** subcommand, [SEM] **ssd**

initial values, [SEM] **Glossary**, see **starting values**

intercept, [SEM] **intro 3**, [SEM] **Glossary**, also see **constraints, specifying**

J

jackknife, [SEM] **Glossary**

joint normality, see **normality, joint**

Jöreskog, K. G., [SEM] **References**

K

Kenny, D. A., [SEM] **References**
 Kline, R. B., [SEM] **References**
 Kluegel, J. R., [SEM] **References**

L

Lagrange multiplier tests, [SEM] **estat ginvariant**,
 [SEM] **estat mindices**, [SEM] **estat scoretests**,
 [SEM] **Glossary**
 latent growth models, see models, latent growth
 latent() option, see sem option latent()
 latent variable, [SEM] **intro 3**, [SEM] **Glossary**
 level() option, see sem option level()
 _LEx, [SEM] **sem option covstructure()**
 likelihood-ratio tests, [SEM] **lrtest**, [SEM] **methods**
and formulas
 lincom command, [SEM] **intro 6**, [SEM] **estat stdize**,
 [SEM] **lincom**
 linear regression, [SEM] **Glossary**, also see models,
 linear regression
 list, **ssd** subcommand, [SEM] **ssd**
 log likelihood, [SEM] **methods and formulas**
 lrtest command, [SEM] **example 10**

M

manifest variables, [SEM] **Glossary**
 MAR, see missing values
 Marsh, H. W., [SEM] **References**
maximize_options, see sem option *maximize_options*
 maximum likelihood, [SEM] **intro 3**, [SEM] **methods**
and formulas, [SEM] **Glossary**
 with missing values, [SEM] **example 26**,
 [SEM] **Glossary**
 means() option, see sem option means()
 measurement
 component, [SEM] **Glossary**
 error models, see models, measurement error
 models, [SEM] **Glossary**, also see models,
 measurement
 variables, [SEM] **Glossary**
 method, [SEM] **Glossary**
 method() option, see sem option method()
 MIMIC models, see models, multiple indicators and
 multiple causes
 mindices, **estat** subcommand, [SEM] **estat mindices**
 missing values, [SEM] **example 26**
 ML, see maximum likelihood
 ml, see sem option method()
 MLMV, see maximum likelihood with missing values
 mlmv, see sem option method()
 model identification, [SEM] **intro 3**
 model-implied covariances and correlations,
 [SEM] **example 11**
 model simplification tests, [SEM] **example 8**,
 [SEM] **example 10**

models,
 CFA, see models, confirmatory factor analysis
 confirmatory factor analysis, [SEM] **intro 4**,
 [SEM] **example 15**, [SEM] **Glossary**
 correlated uniqueness, [SEM] **intro 4**,
 [SEM] **example 17**, [SEM] **Glossary**
 correlation, [SEM] **intro 4**, [SEM] **example 16**,
 [SEM] **Glossary**
 latent growth, [SEM] **intro 4**, [SEM] **example 18**,
 [SEM] **Glossary**
 linear regression, [SEM] **intro 4**, [SEM] **example 6**
 measurement, [SEM] **intro 4**, [SEM] **example 1**,
 [SEM] **example 3**, [SEM] **example 20**
 measurement error, [SEM] **intro 4**,
 [SEM] **example 1**
 MIMIC, see models, multiple indicators and multiple
 causes
 multiple indicators and multiple causes,
 [SEM] **intro 4**, [SEM] **example 10**,
 [SEM] **Glossary**
 multivariate regression, [SEM] **example 12**, also see
 models, seemingly unrelated regression
 nonrecursive, [SEM] **example 7**
 reliability, [SEM] **intro 4**, [SEM] **example 24**
 replaying, [SEM] **intro 6**
 seemingly unrelated regression, [SEM] **intro 4**,
 [SEM] **example 12**, [SEM] **Glossary**
 structural, [SEM] **intro 4**, [SEM] **example 7**,
 [SEM] **example 9**, [SEM] **Glossary**
 modification indices, [SEM] **estat mindices**,
 [SEM] **example 5**, [SEM] **methods and**
formulas, [SEM] **Glossary**
 moments (of a distribution), [SEM] **Glossary**
 MTMM, see multitrait–multimethod data and matrices
 Mueller, R. O., [SEM] **References**
 multiple correlation, [SEM] **Glossary**
 multitrait–multimethod data and matrices,
 [SEM] **intro 4**, [SEM] **example 17**
 multivariate regression, [SEM] **Glossary**, see models,
 multivariate regression
 Muthén, B., [SEM] **References**

N

nlcom command, [SEM] **intro 6**, [SEM] **estat stdize**,
 [SEM] **nlcom**
 nm1 option, see sem option nm1
 noanchor option, see sem option noanchor
 nocapslatent option, see sem option nocapslatent
 nocnsreport option, see sem option nocnsreport
 noconstant option, see sem option noconstant
 nodescribe option, see sem option nodescribe
 nofootnote option, see sem option nofootnote
 noheader option, see sem option noheader
 noivstart option, see sem option noivstart
 nolabel option, see sem option nolabel
 nomeans option, see sem option nomeans
 noncursive models, see nonrecursive models
 nonnormed fit index, see Tucker–Lewis index

nonrecursive (structural) model (system),
 [SEM] **Glossary**
 nonrecursive models, [SEM] **estat stable**
 stability of, [SEM] **estat stable**, [SEM] **example 7**
 normality,
 conditional, [SEM] **intro 3**
 joint, [SEM] **intro 3**
 normalization constraints, [SEM] **Glossary**, see
 constraints, normalization
 normalized residuals, [SEM] **estat residuals**,
 [SEM] **methods and formulas**, [SEM] **Glossary**
 notable option, see **sem option notable**
 noxconditional option, see **sem option**
 noxconditional

O

observed information matrix, [SEM] **Glossary**
 observed variables, [SEM] **intro 3**, [SEM] **Glossary**
 _OEx, [SEM] **sem option covstructure()**
 OIM, see observed information matrix
 oim, see **sem option vce()**
 OPG, see outer product of gradients
 outer product of gradients, [SEM] **Glossary**

P

p-value, [SEM] **Glossary**
 parameter constraints, [SEM] **estat ginvariant**,
 [SEM] **Glossary**
 parameters, [SEM] **Glossary**
 combinations of, [SEM] **lincom**, [SEM] **nlcom**
 path, [SEM] **Glossary**
 adding, [SEM] **intro 5**
 coefficients, [SEM] **Glossary**
 constraining, [SEM] **intro 3**
 diagrams, [SEM] **intro 2**, [SEM] **Glossary**
 notation, [SEM] **intro 2**, [SEM] **sem path notation**,
 [SEM] **Glossary**
 pclose, [SEM] **example 4**
 population error, [SEM] **estat gof**, [SEM] **example 4**
 Portes, A., [SEM] **References**
 postestimation commands, [SEM] **intro 6**, [SEM] **sem**
postestimation
 postestimation, predicted values, [SEM] **intro 6**,
 [SEM] **example 14**, [SEM] **predict**
 predict command, [SEM] **intro 6**, [SEM] **example 14**,
 [SEM] **predict**
 predicted values, see postestimation, predicted values

Q

QML, see quasimaximum likelihood
 quasimaximum likelihood, [SEM] **Glossary**

R

Raftery, A. E., [SEM] **References**

raw residuals, [SEM] **methods and formulas**
 Raykov, T., [SEM] **References**
 recursive (structural) model (system), [SEM] **Glossary**
 regression, [SEM] **Glossary**, see models
 reliability, [SEM] **intro 4**, [SEM] **sem model**
description options, [SEM] **sem option**
reliability(), [SEM] **Glossary**
 reliability option, see **sem option reliability()**
 r._En, [SEM] **sem option covstructure()**
 repair, **ssd** subcommand, [SEM] **ssd**
 reporting options, [SEM] **sem reporting options**
 residuals, [SEM] **estat gof**, [SEM] **estat residuals**,
 [SEM] **example 4**, [SEM] **Glossary**
 residuals, **estat** subcommand, [SEM] **estat**
residuals
 RMSEA, see root mean squared error of approximation
 robust, [SEM] **Glossary**
 robust, see **sem option vce()**
 robust, Huber/White/sandwich estimator of variance
 structural equation modeling, [SEM] **intro 7**,
 [SEM] **sem option method()**
 root mean squared error of approximation, [SEM] **estat**
gof, [SEM] **example 4**, [SEM] **methods and**
formulas
 R^2 , [SEM] **estat eqgof**

S

satopts() option, see **sem option satopts()**
 saturated model, [SEM] **estat gof**, [SEM] **example 4**,
 [SEM] **methods and formulas**, [SEM] **Glossary**
 saved results, [SEM] **intro 6**
 Schwarz, G., [SEM] **References**
 Schwarz information criterion, see Bayesian information
 criterion
 score tests, [SEM] **intro 6**, [SEM] **estat ginvariant**,
 [SEM] **estat mindices**, [SEM] **estat scoretests**,
 [SEM] **methods and formulas**, [SEM] **Glossary**
 scores, [SEM] **Glossary**
scoretests, **estat** subcommand, [SEM] **estat**
scoretests
 second-order latent variables, [SEM] **Glossary**
 seemingly unrelated regression, see models, seemingly
 unrelated regression
select() option, see **sem option select()**
 SEM, [SEM] **methods and formulas**, [SEM] **Glossary**,
 see structural equation modeling
sem command, [SEM] **GUI**, [SEM] **methods and**
formulas, [SEM] **sem**, [SEM] **sem model**
description options, [SEM] **sem path notation**,
 [SEM] **Glossary**
 missing values, [SEM] **example 26**
 with constraints, [SEM] **example 8**
sem option
 allmissing, [SEM] **sem estimation options**
 baseopts(), [SEM] **sem estimation options**
 coeflegend, [SEM] **example 8**,
 [SEM] **example 16**, [SEM] **sem reporting**
options

- sem option, *continued*
- constraints(), [SEM] **sem model description options**, [SEM] **sem option constraints()**
 - covariance(), [SEM] **sem model description options**, [SEM] **sem path notation**
 - covstructure(), [SEM] **intro 4**, [SEM] **example 17**, [SEM] **sem model description options**, [SEM] **sem option covstructure()**
 - forcecorrelations, [SEM] **sem ssd options**
 - forcenoanchor, [SEM] **sem model description options**
 - forcexconditional, [SEM] **sem option noxconditional**
 - from(), [SEM] **sem model description options**, [SEM] **sem option from()**
 - ginvariant(), [SEM] **intro 5**, [SEM] **example 23**, [SEM] **sem group options**
 - group(), [SEM] **intro 5**, [SEM] **example 20**, [SEM] **example 23**, [SEM] **sem group options**, [SEM] **sem option select()**, [SEM] **sem path notation**
 - latent(), [SEM] **sem syntax options**
 - level(), [SEM] **sem reporting options**
 - maximize_options, [SEM] **sem estimation options**
 - means(), [SEM] **intro 4**, [SEM] **example 18**, [SEM] **sem model description options**, [SEM] **sem path notation**
 - method(), [SEM] **intro 3**, [SEM] **intro 7**, [SEM] **intro 8**, [SEM] **example 26**, [SEM] **sem estimation options**, [SEM] **sem option method()**, [SEM] **Glossary**
 - nm1, [SEM] **sem estimation options**
 - noanchor, [SEM] **sem model description options**
 - nocapslatent, [SEM] **sem syntax options**
 - nocnsreport, [SEM] **sem reporting options**
 - noconstant, [SEM] **sem model description options**
 - nodescribe, [SEM] **sem reporting options**
 - nofootnote, [SEM] **sem reporting options**
 - noheader, [SEM] **sem reporting options**
 - noivstart, [SEM] **sem estimation options**
 - nolabel, [SEM] **sem reporting options**
 - nomeans, [SEM] **sem model description options**
 - notable, [SEM] **sem reporting options**
 - noxconditional, [SEM] **sem estimation options**, [SEM] **sem option noxconditional**
 - reliability(), [SEM] **example 24**, [SEM] **sem model description options**, [SEM] **sem option reliability()**
 - satopts(), [SEM] **sem estimation options**
 - select(), [SEM] **sem option select()**, [SEM] **sem ssd options**
 - showginvariant, [SEM] **sem reporting options**
 - standardized, [SEM] **sem reporting options**
 - variance(), [SEM] **sem model description options**, [SEM] **sem path notation**
- sem option, *continued*
- vce(), [SEM] **intro 3**, [SEM] **intro 7**, [SEM] **intro 8**, [SEM] **sem estimation options**, [SEM] **sem option method()**, [SEM] **Glossary**
 - wrap(), [SEM] **sem reporting options**
 - sem postestimation commands, [SEM] **intro 6**
 - set, **ssd subcommand**, [SEM] **ssd**
 - showginvariant option, *see* **sem option showginvariant**
 - signing digitally data, *see* **datasignature** command
 - Singleton, R., Jr., [SEM] **References**
 - Sobel, M. E., [SEM] **References**
 - Sörbom, D., [SEM] **References**
 - squared multiple correlation, [SEM] **methods and formulas**
 - SRMR, *see* **standardized, root mean squared residual**
 - SSD, *see* **summary statistics data**
 - ssd
 - addgroup command, [SEM] **ssd**
 - build command, [SEM] **ssd**
 - describe command, [SEM] **ssd**
 - init command, [SEM] **ssd**
 - list command, [SEM] **ssd**
 - repair command, [SEM] **ssd**
 - set command, [SEM] **ssd**
 - status command, [SEM] **ssd**
 - unaddgroup command, [SEM] **ssd**
 - stability of nonrecursive models, *see* **nonrecursive models, stability of**
 - stable, **estat subcommand**, [SEM] **estat stable**
 - standard errors, *see* **sem option vce()**
 - standardized
 - coefficients, [SEM] **example 3**, [SEM] **example 6**, [SEM] **Glossary**, *also see* **standardized parameters**
 - covariance, [SEM] **Glossary**
 - covariance residual, [SEM] **methods and formulas**
 - mean residual, [SEM] **methods and formulas**
 - option, [SEM] **example 11**
 - parameters, [SEM] **estat stdize**, [SEM] **methods and formulas**
 - residuals, [SEM] **estat residuals**, [SEM] **methods and formulas**, [SEM] **Glossary**
 - root mean squared residual, [SEM] **estat ggof**, [SEM] **estat gof**, [SEM] **example 4**, [SEM] **example 21**, [SEM] **methods and formulas**
 - standardized option, *see* **sem option standardized**
 - Starnes, C. E., [SEM] **References**
 - starting values, [SEM] **intro 3**, [SEM] **sem option from()**, [SEM] **sem path notation**, [SEM] **Glossary**
 - status, **ssd subcommand**, [SEM] **ssd**
 - stdize, **estat subcommand**, [SEM] **estat stdize**
 - structural
 - equation model, [SEM] **Glossary**
 - models, *see* **models, structural**

structural equation modeling, *see* constraints
structured, [SEM] **Glossary**
structured (correlation or covariance), [SEM] **Glossary**
substantive constraints, [SEM] **Glossary**, *see* constraints
summarize, estat subcommand, [SEM] **estat summarize**
summary statistics, [SEM] **estat summarize**
summary statistics data, [SEM] **intro 10**,
[SEM] **example 2**, [SEM] **example 19**,
[SEM] **example 25**, [SEM] **sem option select()**, [SEM] **sem ssd options**, [SEM] **ssd**,
[SEM] **Glossary**
Summers, G. F., [SEM] **References**
sureg command, *see* models, seemingly unrelated regression
survey data and estimation, [SEM] **intro 9**

T

technique, [SEM] **Glossary**
teffects, estat subcommand, [SEM] **estat teffects**
test command, [SEM] **estat stdize**, [SEM] **example 8**,
[SEM] **example 9**, [SEM] **example 16**,
[SEM] **lrtest**, [SEM] **test**
testnl command, [SEM] **estat stdize**, [SEM] **testnl**
testparm command, [SEM] **test**
tests,
 chi-squared, *see* chi-squared test
 goodness-of-fit, *see* goodness-of-fit statistics and tests
 group invariance, *see* group invariance test
 hypothesis, *see* hypothesis tests
 Lagrange multiplier, *see* Lagrange multiplier tests
 likelihood-ratio, *see* likelihood-ratio tests
 model simplification, *see* model simplification tests
 modification indices, *see* modification indices
 score, *see* score tests
 Wald, *see* Wald tests
TLI, *see* Tucker–Lewis index
Tucker–Lewis index, [SEM] **estat gof**, [SEM] **methods and formulas**

U

unaddgroup, ssd subcommand, [SEM] **ssd**
unit loading, [SEM] **intro 3**
unstandardized coefficient, [SEM] **Glossary**
unstructured, [SEM] **Glossary**

V

variable types, [SEM] **intro 3**
variance, [SEM] **intro 3**, *also see* constraints, specifying
variance() option, *see* sem option **variance()**
variance–covariance matrix (of the estimator),
[SEM] **Glossary**, *also see* sem option **vce()**
VCE, *see* variance–covariance matrix (of the estimator)
vce() option, *see* sem option **vce()**

W

Wald tests, [SEM] **intro 6**, [SEM] **estat eqtest**,
[SEM] **estat ginvariant**, [SEM] **example 13**,
[SEM] **example 22**, [SEM] **methods and formulas**, [SEM] **test**, [SEM] **testnl**,
[SEM] **Glossary**
Weeks, D. G., [SEM] **References**
weighted least squares, [SEM] **methods and formulas**,
[SEM] **Glossary**
Wheaton, B., [SEM] **References**
Williams, T. O., Jr., [SEM] **References**
WLS, *see* weighted least squares
Wooldridge, J. M., [SEM] **References**
wrap() option, *see* sem option **wrap()**